


# Waste sand could be saved from landfill with new form of concrete

September 21 2023

---



A block of concrete made with waste foundry sand. Credit: Nottingham Trent University

Up to 100 million tons of waste foundry sand could be averted from landfill worldwide and used to make a new form of concrete, research

shows.

A study by Nottingham Trent University (NTU) shows that waste foundry [sand](#)—which is a by-product the metal casting industry—could be used to make concrete that is suitable for withstanding lighter loads.

Led by Professor Amin Al-Habaibeh, an expert in intelligent engineering systems, the research shows that with a substitution ratio of up to 30%, recycled waste foundry sand-based concrete has a compression strength of up to 78% of normal concrete. The findings are published in *Energy and Sustainable Futures: Proceedings of the 3rd ICESF, 2022*.

This makes it strong enough to use in concrete products such as curb stones, garden slabs, cycling pavements and other lighter loadbearing concrete products.

Professor Al-Habaibeh, of the School of Architecture, Design and the Built Environment, said, "The results suggest that waste foundry sand can be used in the production of concrete products when a reduction in strength is not critical.

"This is good news for the [environment](#), as it shows that the use of natural sand can be reduced, and therefore so can the need for sending waste foundry sand to landfill.

"By using waste foundry sand, the overall cost of concrete can be cut and CO<sub>2</sub> emissions can be reduced during transportation also."



Waste foundry sand. Credit: Nottingham Trent University

Concrete is one of the fundamental materials in the [construction industry](#). Typically, it is composed of sand, cement, aggregate and water.

Foundries purchase siliceous sands to create molds that give shape to the melted metals they are casting. But these sands become waste after several uses and must be properly recovered or disposed of. Any improper disposal of waste foundry sand can cause environmental issues.

The research by NTU shows that concrete made with waste foundry sand has a compression strength of around 23 newtons per square millimeter

(N/mm<sup>2</sup>).

Ph.D. candidate Sirwan Faraj, a researcher in the School of Architecture, Design and the Built Environment at NTU, said, "In many sectors, recycling [waste](#) foundry sand, instead of using virgin materials, can result in a slight decrease in the technical performances of the final products.

"But this reduction could still be perfectly acceptable for a range of concrete products, depending on the needed application. It could be used effectively as a partial or complete replacement of standard sand in suitable quality mortars and concretes."

**More information:** Sirwan Faraj et al, Investigating the Utilisation of Waste Sand from Sand Casting Processes for Concrete Products for Environmental Sustainability, *Energy and Sustainable Futures: Proceedings of the 3rd ICESF, 2022* (2023). [DOI: 10.1007/978-3-031-30960-1\\_12](#)

Provided by Nottingham Trent University

Citation: Waste sand could be saved from landfill with new form of concrete (2023, September 21) retrieved 6 December 2023 from <https://techxplore.com/news/2023-09-sand-landfill-concrete.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.